



Hierarchical microstructures in metals due to dislocation-mediated plasticity

Winther, Grethe

Publication date:
2017

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Winther, G. (2017). *Hierarchical microstructures in metals due to dislocation-mediated plasticity*. Abstract from International Symposium on Multiscale Computational Analysis of Complex Materials, Lyngby, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Hierarchical microstructures in metals due to dislocation-mediated plasticity

Grethe Winther

*Department of Mechanical Engineering, Technical University of Denmark, Produktionstorvet
425, DK-2800 Kgs. Lyngby*

Dislocations are highly beneficial line defects in the crystallographic lattice of metals. They are the carriers of plasticity and their motion is strongly linked to crystallography. During deformation, the dislocation density increases, leading to hardening but also evolution of the microstructure in the metal.

Industrial metals have a hierarchical microstructure. They are polycrystals composed of numerous grains with typical diameters of tens of micrometres. Each grain is characterised by the orientation of its crystal lattice. Initially each grain is a homogenous entity with a single orientation.

As deformation proceeds by dislocation motion, each grain develops significant orientation spreads due to the interaction between the grains; the lattice of initially similarly oriented grains rotate differently (leading to *intergranular* orientation differences) and *intragranular* orientation spread also develops.

The dislocations self-assemble in dislocation boundaries inside each grain with a spacing of a few micrometres. Characteristic patterns of boundaries, typically parallel planar boundaries, form. This pattern varies substantially between grains, leading to different local properties. Finally, a boundary consists of a network of dislocations with a spacing of a few nanometers.

An overview of the evolution of the hierarchical microstructure is presented with emphasis on our understanding of the underlying mechanisms.